

Issued Date: ________ *This prep replaces any previous prep instructions that you may have received.

Colonoscopy Instructions MIRALAX (Over-The-Counter)

Date:_____ Arrival Time:_____ Dr.____

*You may be contacted by the Endoscopy Department the day of your procedure to adjust your arrival time.

Location: <u>172 Kinsley Street</u>, Nashua, NH – Main Lobby, 2nd Floor Endoscopy Department

Pre-registration is required one week prior to your procedure. To register or if you have any questions about cost of coverage, please call **866-620-4781**.

If you have any questions regarding your prep or procedure or, if for any reason you need to reschedule your procedure, **please call 603-578-9363**.

<u>PLEASE BE SURE TO REVIEW "IMPORTANT INSURANCE INFORMATION" AT THE END OF</u> <u>THE PACKET.</u>

Colonoscopy Checklist

- If you had a colonoscopy in the past with an inadequate prep, call our office as soon as possible since your prep may change.
- If you have a history of congestive heart failure, or a history of any other cardiac conditions, please call your cardiologist or managing physician to determine if you need cardiac testing or a follow up visit prior to your procedure.
- Due to the anesthesia that will be administered during your procedure, it is required that you have a responsible adult or person of legal driving age to drive you home after your procedure. You cannot drive or walk. You cannot take a taxi/Uber unless you are accompanied by a responsible adult. We fully expect you will be able to return to your normal activities the day after your procedure.
- If you need assistance with transportation:
 - Some insurance carriers provide assistance with medical ride services.
 - In addition, Gentle Care Ride offers medical transportation for a fee and services most of the Southern and Central New Hampshire Region. They can be reached by calling 603-341-1720 (they require at least two days' notice; however, please call early due to availability).

1



Medications

PLEASE CALL YOUR MANAGING OR PRESCRIBING PHYSICIAN IF:

- You take blood thinners such as Coumadin (Warfarin), Apixaban (Eliquis), Plavix (Clopidogrel), Aggrenox, Ticlid (Ticlopidine), Pradaxa (Dabigatran), Effient (Prasugrel), Brilinta (Ticagrelor) or Xarelto for instructions on stopping these.
- You have Diabetes, to discuss your diabetes medications.
- You are receiving Lovenox injections. These must be stopped 24 hours prior to your procedure.
- For questions on all other medications, please consult your managing or prescribing physician

GI CANNOT ADVISE YOU ON THE ADJUSTMENT OF YOUR MEDICATIONS. PLEASE CALL YOUR MANAGING OR PRESCRIBING PHYSICIAN IF YOU HAVE QUESTIONS ABOUT YOUR PRESCRIBED MEDICATIONS.

Colonoscopy Preparation

7 Days Prior

• Confirm you have a responsible adult to drive you home. <u>You cannot drive</u> or walk. You <u>cannot</u> take a taxi, Uber or other ride service unless you are accompanied by a responsible adult. Please see first page if you need transportation assistance.

- Stop oral iron supplements (not infusions), multivitamin w/iron, fish oil, vitamin E.
- Begin a Low-Fiber diet: avoid any foods with seeds, peels, nuts, salads, and <u>raw</u> vegetables. See below. See below for examples.

ALLOWED	AVOID
Meats (beef, pork, poultry-without skin) and fish	Whole wheat or whole-grain breads, cereals or
	pastas
White bread without seeds or nuts	Brown or wild rice, oats, kasha, barley, quinoa
White rice, White pasta, crackers	Dried fruits and prune juice
Pancakes and waffles	Fruits with seeds, skins, or membranes (grapes,
	oranges, berries)
Cooked and peeled carrots, potatoes, seedless	Raw or undercooked vegetables and salads (corn,
squash, veggie noodles without skins	lettuce, brussels sprouts, spinach)
Fruits without skins, seeds, or membranes (melons,	Beans, peas, and lentils
bananas, peeled apples, peeled canned fruits)	
Milk and foods made from milk, milk substitutes	Seeds and nuts, and foods containing them (peanut
	butter and other nut butters)
Butter margarine, oils and salad dressings without	Popcorn
seeds	

IMPORTANT: PLEASE READ ALL MATERIAL

SJN GI-MIRALAX Rev. 3.31.2023



3 Days Prior

- Please complete the enclosed health history form at the end of the packet and bring with you the day of the procedure.
- Purchase the following items which are available over-the-counter:
 - One bottle, 8.3oz (238g) of Polyethylene Glycol 3350 (Miralax or generic)
 - One bottle, 4.1oz (119g) of Polyethylene Glycol 3350 (Miralax or generic)
 - One 64oz bottle of any clear liquid of your choice. Examples: Gatorade, Water, Crystal Light (Do not use RED, ORANGE, or PURPLE colored liquids)
 - One 32oz bottle of of any clear liquid of your choice. Examples: Gatorade, Water, Crystal Light (Do not use RED, ORANGE, or PURPLE colored liquids)
 - o (4) 5mg Dulcolax tablets
 - Baby wipes or skin barriers (if desired)

Day Before Procedure

LIGHT Breakfast: Before 9AM

- Examples to choose from:
 - o 2 eggs any style
 - \circ 2 slices of white bread
 - o 1 plain bagel with butter, jelly, or cream cheese
 - 1 cup of yogurt
 - \circ 1 banana
 - o Coffee/tea as desired

<u>After 10AM</u> - NO SOLID FOOD OR FULL LIQUIDS – ONLY CLEAR LIQUIDS. <u>NO ALCOHOL</u>, MILK/MILK PRODUCTS, ORANGE JUICE, CHALKY ANTACIDS. *

*Clear Liquids Include – Apple Juice, white grape juice, Gatorade, PowerAde, Kool-Aid, Crystal Light, fruit flavored water. Clear soda (regular or diet), clear broth, bouillon, popsicles, Jell-O (not red), coffee/tea (NO milk/cream). Please make sure all clear liquids are not red/orange/purple in color. Please avoid all smoothies and shakes as these are considered full liquids

Starting at 5PM

- Mix the 238gm bottle of Polyethylene Glycol 3350 (Miralax) powder, into a 64 oz (2 quart) container of Gatorade/Powerade and drink slowly over a 2 ½ hour period.
- Bowel movements may be delayed. They may take time to start. Moving around helps.
- Nausea is a common occurrence. Try to tolerate as much as possible. Vomiting is rare, but it does happen and is okay as long as you take as much as possible with lots of fluids.

Starting at 8PM

• Take (4) 5mg Dulcolax tablets.



Day of the Procedure

5 Hours PRIOR to ARRIVAL

- Mix 119 gm bottle of Miralax (polyethylene glycol 3350) powder, into a 32oz. (1 quart) container of Gatorade/Powerade and drink slowly within 1 hour.
- May drink clear liquids only* (see list of clear liquids)
- May brush teeth
- Upon arrival stool should be clear/yellow, any extra fluid will be suctioned during the procedure.

4 Hours PRIOR to ARRIVAL

- **ABSOLUTELY NOTHING BY MOUTH NO** gum; candy; mints; smoking, water. May use Chap Stick for dry lips.
- <u>PLEASE BRING</u>: Completed endoscopy health history form (last page of the packet), inhalers, CPAP/BiPAP (if easily transportable), glasses (do not wear contacts), if menstruating can use a tampon, reading material or other items in case of unforeseen delays, a copy of your medication list with dosing and the last time taken (including over the counter meds)
- $\circ~$ DO NOT BRING valuables, including jewelry.

The ONLY MEDICATIONS you may take this morning three (3) hours prior to your appointment are:

- o Cardiac (heart)
- o Seizure
- Blood Pressure
- Asthma medications and inhalers

ARRIVE at the time noted on the first page. Bring your history form. Allow approximately 2 ½ hours at the hospital.

IMPORTANT INSURANCE INFORMATION FOR PROCEDURES

Insurance Coverage

- We strongly encourage you to check your coverage by calling your insurance company directly before any procedure is performed to find out what your benefits are.
- Your insurance benefits may vary depending upon if you are having a screening colonoscopy or a diagnostic colonoscopy. Both will have the same CPT code for commercial insurances (CPT Code 45378). You will want to provide your insurance company with this information.
- If a biopsy is required or if a polyp is removed during your screening procedure, your insurance may need to process the claim differently.
- Your coverage might also vary based upon the location of your procedure St. Joseph Hospital. If your insurance has trouble finding our facility in their directory, here is the Tax ID number: 02-0222215.

4



• If you are having another endoscopy procedure aside from a colonoscopy, please contact your insurance company for more information regarding coverage.

Out of Pocket Expense

• "Out of pocket expense" is defined as your share of the cost of your procedure and is determined by your insurance policy. For any endoscopic procedure, your insurance company determines the deductible and copayment amounts for which you are financially responsible.

Communicating with Your Insurance Company

- What to ask:
 - "What is the coverage for my colonoscopy and/or upper endoscopy at St. Joseph Hospital Nashua, NH?"
 - "What are my 'out of pocket' fees for the procedure?" This will ensure you are fully informed of the possible costs you may incur prior to your procedure.
 - "Do I need a prior authorization for my procedure?" If yes, this will be obtained by our prior authorization team. For more information, contact their department at 866-620-4781.
- Anesthesia Fees
 - Anesthesia for SJH is provided by Narragansett Bay Anesthesiology.
 - Certain insurances may have restrictions on the coverage of anesthesia. We encourage you
 to review your individual benefits.
 - In general, if your major medical insurance covers your endoscopy procedure at St. Joseph Hospital, there should be no additional out of pocket fees for anesthesia.
 - For more questions regarding anesthesia and insurance coverage, please call Paula Jarrett for more information at 800-242-1131 extension 4108.
 - Your procedure will be submitted to your insurance company. All claims are billed out separately, by department (i.e. anesthesia, pathology, provider, and facility).
 - Facility, pathology, and provider fee is St. Joseph Hospital.

Financial Assistance

- All non-covered services will be your responsibility to pay.
- Financial assistance is available for patients who meet eligibility criteria. For more information, please contact the Customer Service department at 1-866-524-1189.
- Estimates for procedures can be provided by calling 603-578-5090.

What to Expect the Day of your Procedure

Arrival and Preparation

<u>Your arrival time is noted in the packet. Please be sure to arrive on time.</u> This allows you time to meet with the RN, an anesthesiologist and your gastroenterologist to complete the admitting process. We will review your medical history, have you meet with an anesthesiologist, and have you sign your consents for anesthesia and the procedure. An IV will be started and your vital signs recorded. We are expert at starting IVs; however, we welcome your feedback on placement. You will be lying on your left side, so we prefer to use the right arm/hand.

5



We try to avoid the bend of the arm where blood is usually taken. Bruising is a normal occurrence after an IV and is to be expected.

If you did not complete your enclosed health history, it will need to be completed on arrival. This information may be in our computer system; however, this process is geared to gain as much updated knowledge as possible for the specific procedure. We thank you for your help.

Although we do everything possible to avoid delays, the length of each procedure is variable. We assure you that we will take the time needed for your procedure when it is your turn. Please bring items to occupy your time and keep you relaxed. Headphones or ear buds for listening to music is one suggestion.

Sedation/Procedure

An anesthesiologist will administer anesthesia via IV. Patients receiving deep anesthesia fall asleep quickly and awaken once the procedure is completed. The medications used are determined by our anesthesiologist after careful consideration of your health status. Any medication given will require precautions for the remainder of the day. For those patients whose insurance does not cover anesthesia, nurses will administer sedating medication under the direction of the gastroenterologist. The goal of this type of sedation known as moderate sedation is comfort and reduced anxiety. The RN in your procedure room will aid in this process. The goal of the procedure is to examine your large intestine and remove polyps or tissue when needed for further evaluation in the lab. Generally, you will not feel when a polyp is removed or a biopsy is taken.

Recovery

You will be monitored by an RN in the recovery area. Once awake we will offer refreshments and ensure you are ready to leave then remove your IV. Your ride should meet you in the recovery area or waiting room to escort you home. The gastroenterologist will briefly see you in recovery to ensure you are medically stable and give a brief preliminary finding. Any biopsy or polyp pathology results will be shared with you via correspondence from the physician's office. Your primary care physician or other referring physician will receive a copy of the results.

Most importantly, yes you can resume a normal diet after the procedure unless otherwise instructed. Feeling tired for the day is normal. Feeling slightly bloated, gassy or crampy is normal. A few drops of blood are normal. Any symptoms above and beyond should be reported to the gastroenterologist office right away. You will leave with discharge instructions and contact information.

Consent

You will have the opportunity to discuss the procedure with your gastroenterologist and the anesthesiologist regarding the sedation. They will each explain the nature of the procedure, its' risks, benefits and alternatives and have you sign a consent form that you understand and agree to the care.

The risks included as part of the consent discussion are but are not limited to; bleeding, infection, injury and/or perforation colon or small intestine, or adjacent organs such as the liver or spleen, the risk of missing lesions such as cancer, polyps or sources of bleeding, aspiration, medication side effects or allergic reactions, and other unforeseen complications. These risks may lead to the need for emergency room evaluation and care, the need for hospitalization, the need for additional procedures including but not limited to surgery and repeat endoscopic procedures (colonoscopy) and in very rare cases lead to cardiac arrest and death.



ST. JOSEPH HOSPITAL ENDOSCOPY

YOUR NAME:

DRUG or FOOD ALLERGIES : O No Ves please list									
Personal Medical History: Please check all that apply and list any additional medical information below									
🗆 High Blood P	ressure	Sleep Apn	ea	Seizures	□ Live	Liver Disease			
High Cholest	erol	CPAP_B	IPAP	Back Pain/injury	🗆 Kidı	□ Kidney Disease			
Anemia		Snores at r	night	Cancer,	□ Blee	Bleeding Problems			
Heart Attack			t	ype	□ Falls	\Box Falls in the past year			
Heart Problen	n*	□Asthma		Diabetes	Den [*]	Dentures Upper / lower/			
If yes describe:		GERD/Hea	rtburn	Low Thyroid		Partial (please circle)			
		Stroke	A	High Thyroid		4	,		
Surgery:			L						
Appendector	y	□Gallbladd	er 🗌 Hyst	erectomy	C-Secti	on 🗌 Her	nia		
			rgery Othe	er:					
	Pacemaker/Defibrillator Joint Replacement, location Image: Content of the second								
When did you DRINK FLUIDS last including, your Prep:									
Do you have any metal in the body (not teeth)? 🔲 No 🗌 Yes If yes where?									
Females - Last Menstrual Period : Any chance you could be pregnant?									
Community Health Question - (<u>unrelated to your procedure!</u>) – Have you completed a living will or health care proxy? This is a formal document naming someone to make decisions for you if you are unable to do so. \Box Yes \Box No If no would you like more information ? \Box Yes \Box No									
If you have a list of your medications, <i>please just GIVE it to the nurse - **DO NOT COMPLETE BELOW**</i> INCLUDE over the counter medications and herbals PLEASE.									
Medication	Dose	How Often	Last Dose		Dose	How Often	Last Dose		
Name of person taking you home today?Phone Number									
What Items do you have with you TODAY for the procedure? If you have any of these walking in we want to									
ensure you have them walking out! Keep valuables at home please. Circle all that apply									
Dentures: full partial upper lowerGlassesHearing aidsCaneWalkerPersonal WheelchairOther:									
	<u>Jian</u> Ol								