

Issued Date: \_\_\_\_\_

### Colonoscopy Preparation Instructions **2 Day Miralax + Dulcolax** (Over-The-Counter)

Thank you for choosing St. Joseph Hospital!

Date:\_\_\_\_\_ Arrival Time:\_\_\_\_\_ Dr.\_\_\_\_

\*You may be contacted by the Endoscopy Department the day of your procedure to adjust your arrival time.

Location: 172 Kinsley Street, Nashua, NH – Main Lobby, 2<sup>nd</sup> Floor Endoscopy Department

Pre-registration is required one week prior to your procedure. To pre-register, or if you have any questions about cost of coverage, please call 866-620-4781.

If you have any questions regarding your prep or procedure or, if for any reason you need to reschedule your procedure, **please call 603-578-9363**.

#### Plan Ahead

- Call and check with your insurance company directly as soon as possible to determine if your procedure will be covered.
- If you had a colonoscopy in the past with an inadequate prep, call our office as soon as possible since your prep may change.
- If you develop a fever, cough, or any cold/flu like symptoms: or have any outstanding cardiac or respiratory testing, you MUST call us to reschedule.
- Due to the anesthesia that will be administered during your procedure, it is required that you have a responsible adult or person of legal driving age to drive you home after your procedure. You <u>cannot drive</u> <u>or walk</u>. You cannot take a taxi/Uber unless you are accompanied by a responsible adult. We fully expect you will be able to return to your normal activities the day after your procedure. We will unfortunately have to cancel your procedure if you fail to have a ride home available.
- If you need assistance with transportation: Gentle Care Ride offers medical transportation for a fee and services most of the Southern and Central New Hampshire Region. They can be reached by calling 603-341-1720 (they require at least two days' notice; however, please call early due to availability).



#### **Insurance Information**

## We strongly encourage you to check your benefit coverage by calling your insurance company directly before any procedure is performed to find out what your benefits are.

- Estimates for procedures can be provided by calling 866-620-4781.
- The standard CPT code for a colonoscopy is 45378 for both screening and diagnostic colonoscopies.
- If a biopsy is required or if a polyp is removed during your screening procedure, your insurance benefit may change.
- Your benefit coverage might also vary based upon the location of your procedure. If your insurance has trouble finding St. Joseph Hospital Nashua in their directory, our Tax ID number is: 02-0222215.
- If you are having an upper endoscopy (EGD) procedure in addition to your colonoscopy, please check with your insurance about coverage. The CPT code for an upper endoscopy (EGD) is **43235.**

#### Anesthesia Fees - Anesthesia for SJH is provided by Narragansett Bay Anesthesiology: 401-632-4464.

• Certain insurances may have restrictions on the coverage of anesthesia. We encourage you to review your individual benefits.

Medications

- If you take any oral iron supplements (not infusions), multivitamin w/iron, fish oil, or vitamin E, STOP these medications 7 days prior to your procedure.
- If you take any of the medications listed below for diabetes and/ or weight loss on a <u>DAILY</u> basis, hold the medication for 24 hours prior to your procedure. If you take any of the medications listed below for diabetes and/ or weight loss on a <u>WEEKLY</u> basis, hold 1 week prior to your procedure. If taking any of the below medications for diabetes, please contact your prescribing doctor to find out if an alternative/ replacement is needed.
  - Dulaglutide (Trulicity), Exenatide extended release (Bydureon bcise), Exenatide (Byetta), Semaglutide (Ozempic), Liraglutide (Victoza, Saxenda), Lixisenatide (Adlyxin), Semaglutide (Rybelsus), Phentermine (Adipex-P, Lomaira), Tirzepatide (Mounjaro)

#### PLEASE CALL YOUR MANAGING OR PRESCRIBING PHYSICIAN IF:

- You take blood thinners such as Coumadin (Warfarin), Apixaban (Eliquis), Plavix (Clopidogrel), Aggrenox, Ticlid (Ticlopidine), Pradaxa (Dabigatran), Effient (Prasugrel), Brilinta (Ticagrelor) or Xarelto for instructions on stopping these. *Please do not stop taking your blood thinner without talking to your managing/prescribing physician*. Aspirins are fine to continue.
- You are receiving Lovenox injections. These must be stopped 24 hours prior to your procedure.
- You are diabetic. Please check if medication adjustments are needed as you will be fasting.

#### GI CANNOT ADVISE YOU ON THE ADJUSTMENT OF YOUR MEDICATIONS. PLEASE CALL YOUR MANAGING OR PRESCRIBING PHYSICIAN IF YOU HAVE QUESTIONS ABOUT YOUR PRESCRIBED MEDICATIONS.

pg.2



#### **Prep Items to Purchase**

- Miralax: (2) 8.3oz (238gm) bottles and (1) 4.1oz (119gm) bottle of Polyethylene Glycol 3350 (Miralax or generic).
- Dulcolax (stimulant laxative): (4) 5 mg Dulcolax tablets
- Baby wipes/skin barriers (if desired)
- Gatorade/Sports Drink/Approved Clear Liquid: (2) 64 oz bottles and (1) 32 oz bottle. Any flavor is fine EXCEPT FOR RED, ORANGE, or PURPLE in color.

#### 7 Days Before Your Colonoscopy

- Purchase prepitems ahead of time, if possible.
- <u>Begin a low-fiber diet</u>. Avoid any foods with seeds, peels, nuts, salads, and raw vegetables.

ALLOWED	AVOID				
Meats (beef, pork, poultry-without skin) and fish	Whole wheat or whole-grain breads, cereals or				
	pastas				
White bread without seeds or nuts	Brown or wild rice, oats, kasha, barley, quinoa				
White rice, White pasta, crackers	Dried fruits and prune juice				
Pancakes and waffles	Fruits with seeds, skins, or membranes (grapes,				
	oranges, berries)				
Cooked and peeled carrots, potatoes, seedless	Raw or undercooked vegetables and salads (corn,				
squash, veggie noodles without skins	lettuce, brussels sprouts, spinach)				
Fruits without skins, seeds, or membranes (melons,	Beans, peas, and lentils				
bananas, peeled apples, peeled canned fruits)					
Milk and foods made from milk, milk substitutes	Seeds and nuts, and foods containing them (peanut				
	butter and other nut butters)				
Butter margarine, oils and salad dressings without	Popcorn				
seeds					



#### **<u>2 Days Before</u>** Your Colonoscopy

# • <u>In the morning</u> - NO SOLID FOODS, NO FULL LIQUIDS, NO DAIRY PRODUCTS, OR ALCOHOL. Remain on a clear liquid diet only.

ALLOWED	AVOID			
Water	No milk, dairy, or dairy substitutes			
Black coffee/ tea (no milk, creamer)	No RED, ORANGE, or PURPLE liquids			
Clear juices that are not red, orange, or purple	No grape, fruit punch, or cranberry juice			
Clear broths	No juice with pulp (ex. Orange Juice)			
Popsicles	No smoothies			
Jell-O	No nut milks			
Coconut water				

<u>Starting at 5:00PM</u> – Mix 238gm bottle of Polyethylene Glycol 3350 (Miralax) powder, into a 64oz container of Gatorade/Powerade and drink slowly over a 2<sup>1</sup>/<sub>2</sub> hour period. Bowel movements may be delayed. They may take time to start. Moving around helps.

#### **Day Before** Your Colonoscopy

It is very important to follow these timing instructions even if you may have to wake up in the middle of the night. If you complete the prep too early, fluid from your digestive system can build back up which will affect the quality of your procedure.

- <u>In the Morning</u> Take (4) 5mg Dulcolax tablets. Please continue to remain on a clear liquid diet only. No solid food/full liquids allowed.
- <u>Starting at 5:00PM</u> Mix the 238gm (8.3 oz) bottle of MIRALAX (Polyethylene Glycol 3350) powder into a 64oz container of Gatorade/Powerade/clear liquid and drink slowly over a 2 <sup>1</sup>/<sub>2</sub> hour period. Bowel movements may be delayed. They may take time to start. Moving around helps.



#### Morning of Your Colonoscopy

#### Please continue to remain on a clear liquid diet only. No solid food/full liquids are allowed.

#### **5 Hours PRIOR to ARRIVAL:**

- Mix 119gm (4.1 oz) bottle of MIRALAX (Polyethylene Glycol 3350) powder into a 32 oz container of Gatorade/Powerade/clear liquid and drink slowly within 1 hour.
- May drink clear liquids only\* (see list of clear liquids).
- May brush teeth.
- Upon arrival stool should be clear/yellow, any extra fluid will be suctioned during the procedure.

<u>**4 HOURS PRIOR TO ARRIVAL: ABSOLUTELY NOTHING BY MOUTH - NO** gum; candy; mints; smoking, water. May use Chap Stick for dry lips.</u>

The ONLY MEDICATIONS you may take this morning three (3) hours prior to your appointment are:

- Cardiac (heart)
- Seizure
- Blood Pressure
- Asthma medications and inhalers



#### **Colonoscopy Day Expectations**

We ask that you <u>please bring these items with you:</u> Completed endoscopy health history form (last page of the packet), the name and phone number of your ride, inhalers, CPAP/BiPAP (if easily transportable), glasses (do not wear contacts), if menstruating can use a tampon, reading material or other items in case of unforeseen delays, a copy of your medication list with dosing and the last time taken (including over the counter meds).

*Please <u>DO NOT BRING</u>:* Any valuables, including jewelry. Please remove all body and facial piercings prior to coming in for your procedure.

If you wear dentures, please do not use denture adhesive on the day of your procedure, as they may need to be removed.

Before the start of your procedure, you will have the opportunity to discuss the procedure with your gastroenterologist and the anesthesiologist regarding sedation. They will each explain the nature of the procedure, and its risks, benefits, and alternatives. You will be asked to sign a consent form that you understand and agree to the care.

Please expect to be at the hospital for about  $2\frac{1}{2}$  to 3 hours. We make every effort to remain on time, but delays may occur.

You will need to rest for the remainder of the day. Do not operate any machines or motor vehicles.

You will receive a letter explaining your results approximately 2 to 3 weeks after your procedure.



### ST. JOSEPH HOSPITAL ENDOSCOPY

DRUG or FOOD ALLERGIES : O No Ves please list										
Personal Medical History: Please check all that apply and list any additional medical information below										
□ High Blood P		🗆 Sleep Apn								
High Choleste	erol	CPAPE	BIPAP	Back Pain/injury	🗆 Kidı	Kidney Disease				
🗆 Anemia		Snores at r	night	Cancer,		Bleeding Problems				
Heart Attack		COPD	ty			$\Box$ Falls in the past year				
Heart Probler	n*	Asthma		Diabetes		Dentures Upper / lower/				
If yes describe:		GERD/Hea	artburn	Low Thyroid		Partial (please circle)				
		Stroke T	IA 🗌	High Thyroid						
Surgery:										
Appendector	ıy		er 🗌 Hyst	erectomy	C-Sect	ion 🗌 Herr	nia			
Tonsillectomy	7	Heart		ominal Surgery	🗆 Eye Su	rgery Othe	r:			
Decemaker/D	efibrillator	🗌 Joint Rep	Joint Replacement, location Other:							
When did you <b>DRINK FLUIDS</b> last including, your Prep:										
<b>If you have a list</b> of your medications, <i>please just GIVE it to the nurse - **DO NOT COMPLETE BELOW**</i> INCLUDE over the counter medications and herbals PLEASE.										
Medication	Dose	How Often	Last Dose		Dose	How Often	Last Dose			
							[			
Name of person taking you home today?       Phone Number         What Items do you have with you TODAY for the procedure? If you have any of these walking in we want to ensure you have them walking out! Keep valuables at home please. Circle all that apply										
Dentures: full partial upper lower Glasses Hearing aids Cane Walker										

Personal Wheelchair Other:\_\_\_\_\_